


# A World of Difference.


## *Kirby Thermal Window Systems for Metal Buildings*

Kirby Building Systems offers the FIRST thermal aluminum window designed specifically for the metal building industry. The Kirby thermal window features a thermal-break frame and insulated glass to provide the energy efficiencies needed for extreme temperature conditions. This thermal window is self-framing and self-flashing to simplify the installation process. All Kirby windows are factory-mounted in a preassembled steel subframe for added strength, rigidity, and installation benefits.

- *Thermal break aluminum main frame*
- *Assembled in a factory controlled environment*
- *5/8" clear insulated glass*
- *Self-Flashing and Self-Framing*
- *Standard steel subframe*
- *Made to meet the specific requirements of each job*
- *Baked-on enamel finish (white and bronze)*
- *Custom sizes and styles*
- *Unparalleled customer service*
- *Many glazing options (tinted, Low-E, tempered, etc.)*



Products  
manufactured by  
**Global**  
building products

 **Kirby  
Building  
Systems**

A **NUCOR** Company

P.O. Box 390 • 124 Kirby Dr.  
Portland, TN 37148  
615-325-4165 • Fax: 800-348-7799  
[www.kirbybuildingsystems.com](http://www.kirbybuildingsystems.com)


# The Kirby Difference

## Kirby Thermal Window Systems

- Thermal-break aluminum frame
- Self-Flashing and Self-Framing
- 5/8" clear insulated glass
- Many glass options (tinted, Low-E, tempered, obscure, etc.)
- Energy efficient
- Baked-on enamel finish white and bronze
- Factory-applied head, sill, and fins
- Standard steel subframe system
- Easy to install




### Head Channel




The Head Channel is designed to eliminate water infiltration. Extra width allows for easy installation and access for caulking.

### Sill Channel with Hinged Leg




The Sill Channel has a unique hinged inside leg for easy retrofit installation as demonstrated.

### Universal Jamb Fin



The Universal jamb fin allows the window unit to be installed anywhere along the wall panel. There is no need to be located on the 12" centers.



All Kirby windows include a steel subframe system which provides structural strength and rigidity. It is designed to match the girt depth in order to provide a finished edge for liner panel or drywall type construction. The window unit is factory-mounted in the preassembled steel subframing. The window in the steel subframe with the universal trim fin allows the window to be set anywhere along the wall panel. It provides a unique level of flexibility and simplifies the installation process.

**Kirby Building Systems**  
A NUCOR Company

P.O. Box 390 • 124 Kirby Dr.  
Portland, TN 37148  
615-325-4165 • Fax: 800-348-7799  
[www.kirbybuildingsystems.com](http://www.kirbybuildingsystems.com)